



# Wykaz stali zbrojeniowej stojaka mnicha nr 8

Rys. nr 21


36 Nr ① Ø8 co 20, L = 194cm





9 Nr ③ Ø8 co 20, L = 216 cm




10 Nr ④ Ø8 co 20, L = 90 cm



10 Nr ⑤ Ø8 co 17, L = 140 cm



4 Nr ⑩ Ø8 co 15, L = 74cm



Rodzaj i liczba prętów zbrojenia				
Nr pręta	Średnica pręta	Długość 1 szt.	Liczba prętów	Długość łączna
	mm	cm	szt.	m
1	8	194	36	69,84
2	8	266	9	23,94
3	8	216	9	19,44
4	8	90	10	9
5	8	140	10	14
6	8	219	18	39,42
6a	8	190	16	30,4
7	8	225	4	9
8	8	213	6	12,78
9	8	135	8	10,8
9a	8	115	14	16,1
10	8	74	4	2,96
Razem w m				257,68
Ciężar 1 mb pręta w kg				0,395
Ciężar ogólny				101,78
Razem				102
Stal 18G2				
Beton hydrotechniczny C20/25, F-150, W-4				
Otulina betonu 3 cm				

przewodnice szandorów:  
ceownik zimnogięty 50x50x4mm;  
4 szt. x 1,66m = 6,64 m x 4,19 kg/m = 27,82 kg